

# Home Theater from Above

## Revolve Series



**Sometimes it's impossible** to use in-wall or freestanding speakers for a Home Theater because of the room layout, location of windows or doors, or maybe a fireplace right in the center of the room. After a year of research and development TruAudio offers the Revolves Series, the #1 solution for In-ceiling Home Theater. The "Revolve" series of architectural loudspeakers got its name from the revolution that has occurred between architectural speakers and Home Theater.

When designing a Home Theater and deciding on the speaker locations, its common knowledge that the best sound will be achieved if the center speaker is located right above or below the video picture. The front right and left speakers should also be located parallel with the center channel speaker. The Revolve LCR models are designed to be used for the front three speakers in a Home Theater application. If you use these speakers by mounting the center channel in the ceiling above the video picture and then the right and left speakers to either side, you have accomplished positioning all three front speakers in great locations with our taking any wall space. The Revolve SUR models are design for Home Theater effect speakers and can be used in the back or side of the sitting area. Multiple SUR model can be used to complete a 7.1 or 9.1 system.

All Revolve models feature the woofer mounted on an angel and a proprietary mid/tweeter bridge that can be rotated to gain additional angle. With these two very important features, it allows the speakers to be mounted up in the ceiling, out of the way but yet the sound is still directed toward the listener. In-ceiling Home Theater now becomes an option without sacrificing sound quality or performance.

REV-LCR.1



REV-LCR.2



REV-SUR.1



**(TRU AUDIO)**  
Turn up the volume<sup>®</sup>

# Revolve Series ■ Product Specs



## REV-LCR.1

Woofers:	8" aluminum
Midrange:	Dual 2.5" aluminum
Tweeter:	3/4" aluminum, swivel
Power:	5 - 150 watts
Impedance:	8 ohm
Frequency Range:	39 - 20k Hz.
Sensitivity:	92dB
EQ adjustments:	tweeter & midrange +3, 0, -3
Grill:	Micromesh w/ thin layer of dacron
Finish Dimensions:	12 1/4" diameter, 7 3/8" deep
Cutout Dimensions:	11" diameter







## REV-LCR.2

Woofers:	8" aluminum
Midrange:	N/A
Tweeter:	1" titanium, swivel
Power:	5 - 150 watts
Impedance:	8 ohm
Frequency Range:	40 - 20k Hz.
Sensitivity:	92dB
EQ adjustments:	tweeter & woofer +3, 0, -3
Grill:	Micromesh w/ thin layer of dacron
Finish Dimensions:	12 1/4" diameter, 7 3/8" deep
Cutout Dimensions:	11" diameter



## REV-SUR.1

Woofers:	8" aluminum
Tweeters:	Dual 1" aluminum, swivel
Power:	5 - 125 watts
Impedance:	8 ohm
Frequency Range:	45 - 20k Hz.
Sensitivity:	92dB
EQ adjustments:	tweeter & tweeter +3, 0, -3
Grill:	Micromesh w/ thin layer of dacron
Finish Dimensions:	12 1/4" diameter, 7 3/8" deep
Cutout Dimensions:	11" diameter



**((TRUAUDIO))**

Turn up the volume.®